

cleanslate

Previously Twenty Six



Alton

Heavy Duty Alkaline Cleaner

Foaming | Soft Metals

Alton is a concentrated high foaming, non-butyl, non-phosphate, non-free alkali, heavy duty, alkaline cleaner formulated to quickly remove dirt, grease and grime from a variety of surfaces. It was formulated to be safe on aluminum and other galvanized metals.

DIRECTIONS FOR USE

FOR MANUAL CLEANING: Apply by mop, brush, sprayer, or sponge. Apply to surface to be cleaner and allow to stand for several minutes. For heavier soil, agitate briskly with a brush or sponge. For normal soil, allow the product to do the work. Wipe clean with a moist rag, sponge, or pick up with wet vac or mop. Where applicable, rinse thoroughly with water. Avoid contact with windows or other glass surfaces. **FOR PRESSURE AND FOAM CLEANING:** Dilute 1 to 3 ounces per gallon of water, depending on degree of soil. Apply solution to soiled surfaces, scrub, if necessary, and rinse with portable water. **FOR FLOORS:** Dilute 1 to 3 ounces per gallon and scrub with an automatic floor scrubber or manually with a broom. Rinse floor thoroughly.

WARNING

HAZARD STATEMENTS

May cause eye irritation.

PRECAUTIONARY STATEMENTS

Wear protective gloves and eye protection.
Wash thoroughly after handling.

FIRST AID

Eye Contact: Check for and remove any contact lenses. Flush with large quantities of water, holding eyelids open got 15 minutes. Seek medical attention, if symptoms persist. **Skin Contact:** Wash skin with copious amount of water. Seek medical attention if symptoms persist. **Inhalation:** Remove to fresh air. Seek medical attention if symptoms persist. **Ingestion:** Do not induce vomiting. Drink copious amounts of water. Seek medical attention immediately.



STORAGE

Store in original container protected from sunlight, in a well ventilated area, away from incompatible materials, and food and drink. Keep out of reach of children.

SPILL/LEAK

Put on appropriate personal protective equipment. Move container from spill area. Dilute with water and mop up if water soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

DISPOSAL

Dispose of material in accordance with local, state and federal regulations.

HAZARDOUS INGREDIENTS

Sodium Dodecylbenzene Sulfonate (25155-30-0)
Dipropylene Glycol Methylether (34590-94-8)
Silicic Acid, Sodium Salt (1344-09-8)

OUR PROMISE

SAFER & STRONGER™



Biodegradable
Surfactants



Commercial
Grade



Phosphorous
Free

SCAN FOR SDS



Item #4091



Toll-Free 866.510.8080
Emergency 800.424.9300
cleanslategrp.com
info@cleanslategrp.com
1420 E Linden Ave, Linden, NJ 07036

 cleanslate