## cleanslate

Multi-surface Cleaner + Disinfectant

## KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

for treatment, IF IN EYES: Hold eve open and rinse slowly and gently with water for 15-20 minutes. Remove contact treatment advice, IF ON SKIN OR CLOTHING: Take off contaminated clothing, Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. IF SWALLOWED: Call by mouth to an unconscious person. IF INHALED: Move the person to fresh air. If person is not breathing, call 911 center or doctor for further treatment advice. NOTE TO PHYSICIAN: Probable mucosal damage may contraindi-

This product is a phosphate free formulation designed to provide effective cleaning, deodorization, and disinfection specifically for hospitals, nursing homes, food processing plants, food service establishments, retail businesses, athletic/recreational facilities, sports stadiums, amphitheaters and convention centers where shower stalls, bathtubs, and cabinets. This product is a one step detergent disinfectant that is effective against a broad spectrum of bacteria, is virucidal\* and inhibits the growth of mold and mildew and their odors when used

**ACTIVE INGREDIENTS:** Alkvl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides......225% Alkyl (68% C12, 32 % C14) 

EPA Reg. No. 1839-95-84179 EPA Est. No. 84179-NJ-1 Sold by: Cleanslate Group, LLC 1420 East Linden Ave, Linden NJ 07036

net contents: 1 Gallon (128 fl oz)

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical and semi-critical medical device surfaces. Disinfection- To disinfect inanimate, hard, non-porous surfaces add 2 ounces of this product per gallon of water. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Bactericidal Stability of Use-Dilution: Prepare a fresh solution for each use. To disinfect food processing premises: Before using this product. food products and packaging materials must be removed from the area or carefully protected. For floors, walls, and storage areas, add 2 ounces of this product per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. After use, all surfaces in the area must be thoroughly rinsed with potable water. To disinfect food service establishment food contact surfaces: Before using this product, food products and packaging materials must be removed from the area or carefully protected. For countertops, appliances, tables, add 2 ounces of this product per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow the surface to remain wet for 10 minutes, then remove excess liquid and rinse the surface with potable water. This product cannot be used to clean the following food contact surfaces: utensils, glassware and dishes. Bactericidal Activity- When diluted at the rate of 2 ounces per gallon of water, this product exhibits effective, one-step disinfectant activity against the organisms: Pseudomonas aeruginosa PRD 10, Escherichia coli, Klebsiella pneumoniae, Salmonella schottmuelleri, Salmonella enterica, Streptococcus salivarius, Brevibacterium ammoniagenes, Streptococcus faecalis, Shigella dysenteriae. Enterobacter aerogenes. Staphylococcus aureus. Methicillin resistant Staphylococcus aureus (MRSA). Vancomycin intermediate résistant Staphylococcus aureus (VISA). Streptococcus pyogenes (Clinical-Flesh Eating Strain BIRD M3) and Klebsiella pneumoniae New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant, Acinetobacter baumannii, Enterococcus faecium, Vancomycin resistant Enterococcus faecalis (VRE) and meets all requirements for hospital use. Fungicidal Activity- At the 2 ounces per gallon dilution, this product is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes (causative agent of Athlete's Foot Fungus) (a cause of ringworm) (a cause of ringworm of the foot), when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous, surfaces commonly contacted by bare feet. Follow the Disinfection directions, \*Virucidal Activity- This product, when used on environmental, inanimate, hard, non-porous surfaces at 2 ounces per gallon of water, exhibits effective virucidal activity against Influenza A2/Japan (representative of the common flu virus), Herpes Simplex Type 1 (causative agent of fever blisters), Adenovirus Type 2 (causative agent of upper respiratory infections), Vaccinia virus (representative of the Pox virus group), Human Coronavirus (ATCC VR-740, Strain 229E), Human Immunodeficiency Virus Type I (HIV-1), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Norovirus (Norwalk Virus), Bovine Viral Diarrhea Virus (BVDV), Feline calicivirus (FCV), SARS Associated Coronavirus, Porcine Respiratory & Reproductive Syndrome Virus (PRRSV) (Strain NVSL) and Avian Influenza A. Follow the Disinfection directions. Kills HIV-1, HBV and HCV On Pre-cleaned Environmental Surfaces/Objects Previously Soiled With Blood/Body Fluids in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV). Special Instructions For Cleaning And Decontamination Against HIV-1, HBV and HCV On Surfaces/Objects Soiled With Blood/Body Fluids, Personal Protection: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings. Cleaning Procedures: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. Contact Time: Allow surface to remain wet for 10 minutes. Disposal Of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal. Mildewstat: To control mold and mildew on pre-cleaned, hard, non-porous surfaces, add 2 ounces of this product per gallon of water. Apply solution with a cloth, mop, sponge, hand pump trigger sprayer or low pressure coarse sprayer making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears. General Cleaning: Apply this product to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer. This product can be diluted at 2 ounces per gallon or applied at full strength. Thoroughly wet soiled surface and scrub as necessary. Deodorization: To deodorize, apply this product as indicated under the heading DISINFECTION. STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. PESTICIDE STORAGE- Store in a dry place no lower in temperature than 50°F or higher than 120°F. CONTAINER DISPOSAL- Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill. PESTICIDE DISPOSAL-Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER. KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear googles or face shield, rubber gloves, and protective clothing. Harmful if swallowed. Remove contaminated clothing and wash before reuse. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.